

# JOURNAL



# CANADIAN JOURNAL of EXPLORATION GEOPHYSICS

Volume 28, No. 1

June 1992

## TECHNICAL PAPERS


- 1 **Comparison of scale-model results with field surveys conducted over the Night Hawk test range using fixed-loop and moving-source electromagnetic systems**  
*K. Duckworth and D. O'Neill*
- 6 **Simulated annealing experiments in statics computation: synthetic and real data examples**  
*K. Vasudevan, F. Cook, A. du Toit, W.G. Wilson and W.G. Laidlaw*
- 19 **Determination of shear wave velocities and densities from P-wave amplitudes in VSP data**  
*S. Cheng, F. Hron and P.F. Daley*
- 30 **A two-component reflection seismic survey, Springbank, Alberta**  
*D.C. Lawton and M.P. Harrison*
- 44 **Enigmatic basins offshore Newfoundland**  
*M.E. Enachescu*
- 62 **Mathematics of linear sweeps**  
*D.F. Aldridge*

## DEPARTMENTS

Journal Staff	i	Editorial Standards	iii
Journal Information	i	Technical Papers	1
Corporate Membership	ii	Authors' Biographies	69

CANADIAN SOCIETY of EXPLORATION GEOPHYSICISTS

ISSN 0844-3432



# CANADIAN JOURNAL of EXPLORATION GEOPHYSICS

Volume 28, No. 1

Published by the Canadian Society of Exploration Geophysicists  
Suite 406, 206 - 7th Avenue S.W., Calgary, Alberta T2P 0W7

**Editor:** **Edward G. Lalonde**  
Home Oil Company Limited  
324 - 8th Avenue S.W.  
Calgary, Alberta T2P 2Z5

**Advertising Sales:** **Todd Chucky**  
Request Seismic Surveys  
1609, 840 - 7th Avenue S.W.  
Calgary, Alberta T2P 3G2

**Production Editor:** **Cecelia Frey**  
6228 Touchwood Drive N.W.  
Calgary, Alberta T2K 3L9

**CSEG General Manager:** **Heather Payne**

## Associate Editors:

**Dr. M. E. Best**  
Director, Pacific Geoscience Centre  
P.O. Box 6000  
Sydney, British Columbia V8L 4B2

**Dr. K. C. Coffin**  
Geological Survey of Canada  
Institute of Sedimentary  
and Petroleum Geology  
3303 - 33rd Street N.W.  
Calgary, Alberta T2L 2A7

**Dr. H. W. Dosso**  
Department of Physics  
University of Victoria  
Victoria, British Columbia V8W 2Y2

**Dr. K. Duckworth**  
Department of Geology and Geophysics  
The University of Calgary  
2500 University Drive N.W.  
Calgary, Alberta T2N 1N4

**Dr. Z. Hajnal**  
Department of Geological Sciences  
University of Saskatchewan  
Saskatoon, Saskatchewan S7N 0W0

**Dr. E.R. Kanasevich**  
Department of Physics  
University of Alberta  
Edmonton, Alberta T6G 2J1

**Dr. W. M. Moon**  
Department of Geological Sciences  
The University of Manitoba  
240 Wallace Building  
Winnipeg, Manitoba R3T 2N2

**Dr. T. P. Ng**  
Canadian Hunter Exploration Ltd  
Suite 700, 435 - 4th Avenue S.W.  
Calgary, Alberta T2P 3A8

**D. Oldenburg**  
Department of Geophysics  
and Astronomy  
University of British Columbia  
#129 - 2219 Main Mall  
University Campus  
Vancouver, British Columbia T6T 1Z4

**Dr. J. W. Peirce**  
Managing Partner  
Geophysical Exploration  
and Development Corporation  
Suite 1500, 717 - 7th Avenue S.W.  
Calgary, Alberta T2P 0Z3

**Dr. R.R. Stewart**  
Department of Geology  
and Geophysics  
The University of Calgary  
2500 University Drive N.W.  
Calgary, Alberta T2N 1N4

## CSEG Executive Committee

1992

<b>President:</b>	Jim Brown
First Vice-President	Bill Davitt
Second Vice-President	Doug Pruden
Secretary	Lynn Pratt
Treasurer	Todd Knight
Business Manager	Greg Davidson
Journal Editor	Ed Lalonde
Past President	Brian Russell
Recorder Editor	Atul Nautiyal

© 1992 Canadian Society of Exploration Geophysicists. World rights reserved. Authorization to photocopy items for personal use, or the internal or personal use of specific clients, is granted by the CSEG, provided that the base fee of \$3.00 per copy is paid directly to the Copyright Clearance Centre (CCC), Transactional Reporting Service (TRS), 27 Congress Street, Salem, MA 01970, USA. For those organizations that have been granted a photocopy licence by CCC, a separate system of payment has been arranged. The fee code for users of the TRS is 0844-3432/88 \$3.00 + 0.00.

**Reprints** can be supplied at cost if ordered prior to publication.

**Subscription** to the *Journal* is included in the CSEG membership dues. Nonmembers and organizations should direct their enquiries to the General Manager, CSEG, at the address given above or by phone at (403) 262-0015.

**Advertising rates** may be obtained by contacting the Advertising Sales Manager or the General Manager.

**A limited number of previous issues** of the *Journal* are available. Please contact the General Manager.

**Claims** for nonreceipt of the *Journal* should be made within three months of publication.

ISSN 0844-3432

## CORPORATE MEMBERSHIP

The CSEG Executive would like to thank the following companies for their continued support.

Ace Explosives ETI Ltd.  
Alberta Energy Company Ltd.  
Altex Resources Ltd.  
Amerada Hess Canada Ltd.  
Amoco Canada Petroleum Company Ltd.  
Anadarko Petroleum of Canada Ltd.  
Austin Powder Co. Ltd.  
BHP Petroleum (Canada) Inc.  
BP Resources Canada Limited  
Bertram Drilling Corp.  
Bow Valley Industries Ltd.  
Bumper Development Corporation Ltd.  
C.G.G. Geophysics Canada Ltd.  
Cabre Exploration Ltd.  
Canada Northwest Energy Limited  
Canadian Hunter Exploration Ltd.  
Canadian Occidental Petroleum Ltd.  
Chauvco Resources Ltd.  
Chevron Canada Resources  
Co-enerco Resources Ltd.  
Conoco Canada Limited  
Conseis Data Ltd.  
Conwest Exploration Company Limited  
Corexcana Ltd.  
DataSpan Technology Inc.  
Encor Energy Corporation Inc.  
Esso Resources Canada Limited  
Explosives Limited  
Format Resources Corp.  
Frontier Data Ltd.  
Gale Horizon Limited  
Geo-Terrex Limited  
Geo-X Systems Ltd.  
Geophysical Micro Computer Applications  
International Ltd.  
Gulf Canada Resources Ltd.  
Halliburton Geophysical Services, In.  
Halliburton Geophysical Products, Inc.  
Hamilton Brothers Canadian Gas Company Ltd.  
Home Oil Company Limited  
Husky Oil Operations Ltd.  
ICI Canada Inc.  
ITA Inverse Theory & Applications, Inc.  
Indel-Davis Ltd.  
Input/Output of Canada, Inc.  
J.M. Huber Corporation  
J.R.S. Exploration Company Ltd.  
Kelman Seismic Processing Ltd.  
Kerr-McGee Canada Ltd.  
LASMO Nova Scotia Limited  
Landmark Graphics Canada Ltd.  
Landmark/Zycor  
Lornel Consultants  
Mannville Oil & Gas Ltd.  
Mark Products/A Division of Shaw Industries  
Mobil Oil Canada  
Motorola Canada Limited  
Murphy Oil Company Ltd.  
Nicholson Copy Centre Ltd.  
Norcana Resource Services (1991) Ltd.  
Norcen Energy Resources Limited  
North Canadian Oils Limited  
Novalta Resources Inc.  
OYO Geospace Canada Inc.  
Ocelot Energy Inc.  
PanCanadian Petroleum Limited  
Pembina Resources Limited  
Pennzoil Petroleums Ltd.  
Petro-Canada  
Placid Oil Company  
Pulse/Div. BurMac Enterprises Ltd.  
Quintana Exploration Canada Ltd.  
Renaissance Energy Ltd.  
Saskatchewan Oil & Gas Corporation  
Sceptre Resources Limited  
Seis-Pro & Consultants Ltd.  
Shell Canada Limited  
Sourcex Seismic Ltd.  
Statcom Ltd.  
Summit Resources Limited  
Suncor Inc. Resources Group  
Teknica Petroleum Services Ltd.  
Texaco Canada Petroleum Inc.  
Total Petroleum (Canada) Ltd.  
Triton Canada Resources Ltd.  
Union Pacific Resources Inc.  
Unocal Canada Limited  
Varidata Surveys Ltd.  
Vector Technology Ltd.  
Veritas Geophysical Ltd.  
Veritas Seismic Ltd.  
Voyager Energy Inc.  
Wega-D Geophysical Ltd.

# EDITORIAL STANDARDS

Submission of Manuscripts is invited in all areas of geophysics related to exploration. Case histories are particularly welcome. Manuscripts should be sent on disk with hard copy, directly to the editor. Papers received by the editor will be deemed property of the CSEG, unless the release of the paper is granted in writing by the editor. There are no page charges, but additional costs of reproduction (e.g., colour figures or fold-outs) are charged to authors.

Short Notes and discussions of the papers published in the *Journal* are welcome.

The *Canadian Journal of Exploration Geophysics* adopts as its editorial standard the "Instructions to Authors" of the Society of Exploration Geophysicists as published in *Geophysics* 52 (Jan. 1987), 1-10, and revised in *Geophysics* 53 (Jan. 1988), 1-7. Some augmentation to the SEG Instructions is included below and in cases of ambiguity or conflict the present CSEG Instructions will take precedence.

## Submission of Manuscript

Material may be submitted on computer disk (3.5" floppy disk), complete with figures, tables, references, and figure and table captions. Provide three paper printouts of the document. Provide all original material that can not be produced in word processing software (e.g., figures) as per instruction described below in 4. The document must be created on standard software programs such as Microsoft Word<sup>®</sup> or WordPerfect<sup>®</sup>.

Or, submit an original document and three copies, i.e., four copies in all, of each manuscript, complete with figures, tables, references, and figure and table captions. The figures and tables submitted with the original manuscript should be the originals described below in 4. However, it is acceptable to submit four sets of figure/table copies, the originals to be supplied upon acceptance of the paper. Manuscripts should be typed, double-spaced, on 21.5 x 28 cm (8.5 x 11 in) paper or on A4 (metric-format) paper.

## Organization of Manuscript

1. **Title page.** It should give the title, followed by the names, affiliations and full addresses of all the authors. Make the title of your paper as brief as possible. The first word should be a significant one, suitable for both classifying and indexing the paper. If your paper was given orally at a meeting, include a footnote specifying the name of the organization that held the meeting, where held, and the date of presentation.
2. **Abstract.** An abstract is not an introduction or a list of contents but rather a summary of the essential qualities, including the principal conclusions of the paper. (See the SEG Instructions.) Every technical paper must be accompanied by an abstract of approximately 150 to 300 words. Short notes do not require abstracts.
3. **Headings.** Normally three levels of headings should be used. First-order headings are centred and capitalized; second-order headings are positioned at the left-hand margin; third-order headings are indented, underlined or italicized, and followed by a dash. Numbering of sections is optional.
4. **Figures, tables and formulae.** These should be compatible with a 21.5 x 28 cm page size, two-column format; i.e., they will be reproduced at either 9 cm (half-column) or 18 cm (full-column) width in vertical format or 23 cm wide in horizontal format.
  - Figures should be drafted at approximately twice the published size. Any clean figures of good contrast and overall quality are acceptable. However, original artwork, glossy photographs or PMTs of manuscript-page size, are preferred.
  - All figures must be clearly marked on the back with the figure number and author's surname.

- Colour illustrations are encouraged where the use of colour is deemed essential. However, authors will be responsible for the additional costs of colour reproduction.
- Foldouts should be avoided if possible but are encouraged where necessary. Again, however, authors will be billed for any additional costs.
- Original materials will not be returned to authors unless specifically requested at the time of submission.
- Tables, formulae and equations can be difficult to typeset and proof-read. They should be submitted in a form suitable for direct reproduction; for example, laser-printer output is ideal. In such cases authors should follow the *Journal's* conventions regarding italicization, bold-face type, punctuation, etc.
- Captions for figures and tables should be provided on a separate page or pages of the manuscript; they should not be lettered on the original, nor should a title be designed within the frame of the figure or table. A figure (or table) and its caption should be a self-contained unit which, in its essentials, can be understood without reference to the text.

5. **References.** This area is the one with the greatest incidence of errors in most papers. Authors are urged to check citations in the text and entries in the References most carefully. The responsibility for correctness lies with the authors. Only references cited in the text should be listed under the heading REFERENCES. References not cited in the text, but deemed to be essential, should be grouped separately under the heading REFERENCES FOR GENERAL READING. For further details on the format of references, the SEG Instructions are adhered to with the following exceptions: commas are omitted before the word *and* in a string of authors' names; between journal name and volume number, and after words like *Bull.* and *Proc.* in the name of a publication.

## Units and Spelling

Physical quantities shall be expressed in SI units. Imperial or CGS equivalents may additionally be given. See R.E. Sheriff's *Encyclopedic Dictionary of Exploration Geophysics* (SEG, 2nd ed., 1984) for a comprehensive guide to SI units, forms of abbreviation, etc. Official Canadian SI spelling (e.g., metre) shall be used. In other cases Canadian spelling is preferred (e.g., centre, modelling, sulphur) although in many instances acceptable alternatives exist. Authors should, above all, be consistent in their spelling.

## Review, Revision and Reprints

Authors are strongly advised to have their manuscripts critically read by at least one reader familiar with the subject matter before it is submitted. All manuscripts submitted to the *Journal* undergo a standard peer-review process. Galley proofs will be forwarded to authors with a return date specified and with an order form for reprints. If there is more than one author, it must be clearly indicated to whom the proofs are to be sent. At the discretion of the Editor, minor changes (as opposed to corrections) may be accommodated at galley-proof stage. Major revisions at this or at a later stage will be charged to the author. Authors may order reprints in any multiple of fifty and will be billed for them at cost. They should be ordered at this time only; back orders will entail much higher costs.

## Copyright

The copyright of accepted and published material is reserved by the Canadian Society of Exploration Geophysicists.